

Message Text

LIMITED OFFICIAL USE

PAGE 01 SANTO 02922 311902Z
ACTION SY-05

INFO OCT-01 ARA-10 ISO-00 FBOE-00 A-01 /017 W
-----025927 010756Z /11

R 311835Z MAY 78
FM AMEMBASSY SANTO DOMINGO
TO SECSTATE WASHDC 4748
INFO AMEMBASSY PANAMA

LIMITED OFFICIAL USE SANTO DOMINGO 2922

DEPT FOR A/SY/T/WSB; PANAMA FOR RSS FROM RSO

E.O. 11652: N/A
TAGS: ASEC
SUBJECT: REQUEST REPLACEMENT OF PASSIVE ALARM IN AMBASSADOR'S
RESIDENCE

1. PASSIVE IR ALARM LOCATED AT BACK STAIRS OF RESIDENCE HAS
TEAR IN IR PLASTIC LENS WHICH IS CAUSING FALSE ALARMS. REQUEST WSB
FORWARD REPLACEMENT IR ALARM UNIT. PRESENT ALARM SYSTEM AT
RESIDENCE NOT TIED TO CHANCERY WHERE MSG CAN RESPOND TO ALARM.
THERE IS A PAIR OF TELEPHONE WIRES THAT CAN BE USED TO CARRY
THE ALRM CIRCUIT TO THE CHANCERY.

2. IT WOULD BE APPRECIATED IF TECH TEAM ON NEXT VISIT COULD
SURVEY RESIDENCE TO ASCERTAIN WHETHER FEASIBLE TO CONNECT
RESIDENCE ALARM TO TELEPHONE WIRES TO MSG DESK.
YOST

LIMITED OFFICIAL USE

NNN

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 jan 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Draft Date: 31 may 1978
Decaption Date: 01 jan 1960
Decaption Note:
Disposition Action: RELEASED
Disposition Approved on Date:
Disposition Case Number: n/a
Disposition Comment: 25 YEAR REVIEW
Disposition Date: 20 Mar 2014
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1978SANTO02922
Document Source: CORE
Document Unique ID: 00
Drafter: n/a
Enclosure: n/a
Executive Order: N/A
Errors: N/A
Expiration:
Film Number: D780228-1208
Format: TEL
From: SANTO DOMINGO
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1978/newtext/t1978053/aaaaabvl.tel
Line Count: 42
Litigation Code IDs:
Litigation Codes:
Litigation History:
Locator: TEXT ON-LINE, ON MICROFILM
Message ID: 55964698-c288-dd11-92da-001cc4696bcc
Office: ACTION SY
Original Classification: LIMITED OFFICIAL USE
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 1
Previous Channel Indicators: n/a
Previous Classification: LIMITED OFFICIAL USE
Previous Handling Restrictions: n/a
Reference: n/a
Retention: 0
Review Action: RELEASED, APPROVED
Review Content Flags:
Review Date: 21 jul 2005
Review Event:
Review Exemptions: n/a
Review Media Identifier:
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
SAS ID: 2604957
Secure: OPEN
Status: NATIVE
Subject: REQUEST REPLACEMENT OF PASSIVE ALARM IN AMBASSADOR'S RESIDENCE
TAGS: ASEC
To: STATE
Type: TE
vdkgvwkey: odbc://SAS/SAS.dbo.SAS_Docs/55964698-c288-dd11-92da-001cc4696bcc
Review Markings:
Sheryl P. Walter
Declassified/Released
US Department of State
EO Systematic Review
20 Mar 2014
Markings: Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014